

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6014133" "5925103").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L2	2	("1026578").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L3	29	((("6704024") or ("6421716") or ("6646759") or ("6,544,295") or ("6,628,243") or ("6,633,314") or ("6,690,403") or ("6.282.294") or ("6,418,310") or ("6,233,541") or ("6,084,584") or ("6,003,065") or ("6,674,445") or ("5,546,538") or ("6,072,598") or ("6,677,965") or ("6,487,597") or ("6,565,611") or ("6,574,501") or ("6,424,369") or ("20010047441") or ("20010052911") or ("5,845,076") or ("6,269,481") or ("6,285,461") or ("20020018234") or ("6,201,611") or ("5,768,483") or ("6,631,247") or ("6,615,234") or ("6,560,621") or ("6,553,240") or ("6,243,761"))).PN. or ((09/625,272) or (09/637,628) or (09/677,857) or (09/688,879) or (09/698,050) or (09/708,031) or (09/764,418) or (09/768,135) or (09/781,265) or (09/803,884) or (09/879,972) or (10/238,643) or (10/308,237) or (10/448,700) or (10/779,441) or (10/793,534) or (09/496,172) or (09/498,725) or (09/501,585) or (09/504,807) or (09/504,808) or (09/504,809)).CCLS.	USPAT	OR	OFF	2006/04/03 13:34
L4	1	"6043839".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L5	154	(pda palm ((mobile cell\$4) near phone)) near10 (web webpage) near10 format	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L6	9	(pda palm ((mobile cell\$4) near phone)) near10 (web webpage) near10 (display near format)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L7	8	"6633314"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L8	1	"6091713".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L9	63	server same ((client device) near2 capability) same ((connection session) near2 (data information parameter))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L10	0	server same ((client device) near2 (storage near capability)) same ((connection session) near2 (data information parameter))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L11	4	((client device) near2 (storage near capability)) same ((connection session) near2 (data information parameter))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L12	4291	709/227,228.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34

EAST Search History

L13	3058	709/227.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L14	1636	709/228.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L15	8	L12 and ((client device) near2 (storage near capability))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L16	617	L12 and (stor\$3 near5 (session connection) near5 (data information parameters setting))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L17	576	L12 and (stor\$3 near5 (session connection) near3 (data information parameters setting))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L18	442	L12 and (stor\$3 near3 ((session connection) near3 (data information parameters setting)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L19	44	L12 and (((locally client device) near stor\$3) near3 ((session connection) near3 (data information parameters setting)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L20	3257	709/220,221,222.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L21	12	L20 and (((locally client device) near stor\$3) near3 ((session connection) near3 (data information parameters setting)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L22	15	(client near3 stor\$4) near5 (session connection) near2 (history log)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L23	3	("20020012388" "5,313,582" "6,199,110").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L24	2	("6374375" "6611563").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L25	0	reduced near training near connection near protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L26	1	training near connection near protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L27	0	reduced near2 training near2 connection near2 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34

EAST Search History

L28	0	reduced near10 training near20 connection near20 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L29	36	training near20:connection:near20:protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L30	19	quick near5 connect\$4 near5 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L31	0	L29 and L30	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L32	19	quick near5 connect\$4 near5 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L33	11	L30 and attributes	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L34	1	"6091793".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L35	1	"6091713".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L36	336	modem same (storage near2 capability)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L37	6	L36 same (connection near2: data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L38	6457	modem same (connection near2 data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L39	8255	modem same ((connection configuration) near2 (information data))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L40	54	L39 same (reconnect\$5 reestablish\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L41	0	L40 same (client near5 server near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L42	0	L40 same (client near20 server near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34

EAST Search History

L43	0	L40 same ((client near20 server) near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L44	0	L40 same ((client same server) near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L45	1	L39 same ((reconnect\$5 reestablish\$4) near10 (stor\$3 send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L46	0	"62232222".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L47	1	"62232222".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L48	1	"20040096044".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L49	1	L48 and (analog modem wireless)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L50	1	L48 and (analog wireless)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L51	154	(pda palm ((mobile cell\$4) near phone)) near10 (web webpage) near10 format	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L52	0	server same ((client device) near2 (storage near capability)) same ((connection session) near2 (data information parameter))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L53	4291	709/227,228.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L54	3058	709/227.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L55	1636	709/228.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L56	617	L53 and (stor\$3 near5 (session connection) near5 (data information parameters setting))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L57	576	L53 and (stor\$3 near5 (session connection) near3 (data information parameters setting))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34

EAST Search History

L58	442	L53 and (stor\$3 near3 ((session connection) near3 (data information parameters setting)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L59	3257	709/220,221,222.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L60	0	reduced near training near connection near protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L61	0	reduced near2 training near2 connection near2 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L62	0	reduced near10 training near20 connection near20 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L63	36	training near20 connection near20 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L64	19	quick near5 connect\$4 near5 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L65	0	L63 and L64	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L66	336	modem same (storage near2 capability)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L67	6457	modem same (connection near2 data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L68	8255	modem same ((connection configuration) near2 (information data))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L69	54	L68 same (reconnect\$5 reestablish\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L70	0	L69 same (client near5 server near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L71	0	L69 same (client near20 server near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L72	0	L69 same ((client near20 server) near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34

EAST Search History

L73	0	L69 same ((client same server) near5 (store send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L74	0	"62232222".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L75	1	"6043839".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L76	1	"6091713".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L77	1	training near connection near protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L78	1	"6091793".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L79	1	"6091713".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L80	1	L68 same ((reconnect\$5 reestablish\$4) near10 (stor\$3 send\$3))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L81	1	"62232222".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L82	2	("6014133" "5925103").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L83	2	("1026578").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L84	29	((("6704024") or ("6421716") or ("6646759") or ("6,544,295") or ("6,628,243") or ("6,633,314") or ("6,690,403") or ("6,282,294") or ("6,418,310") or ("6,233,541") or ("6,084,584") or ("6,003,065") or ("6,674,445") or ("5,546,538") or ("6,072,598") or ("6,677,965") or ("6,487,597") or ("6,565,611") or ("6,574,501") or ("6,424,369") or ("20010047441") or ("20010052911") or ("5,845,076") or ("6,269,481") or ("6,285,461") or ("20020018234") or ("6,201,611") or ("5,768,483") or ("6,631,247") or ("6,615,234") or ("6,560,621") or ("6,553,240") or ("6,243,761")).PN. or ((09/625,272) or (09/637,628) or (09/677,857) or (09/688,879) or (09/698,050) or (09/708,031) or (09/764,418) or (09/768,135) or (09/781,265) or (09/803,884) or (09/879,972) or (10/238,643) or (10/308,237) or (10/448,700) or (10/779,441) or (10/793,534) or (09/496,172) or (09/498,725) or (09/501,585) or (09/504,807) or (09/504,808) or (09/504,809)).CCLS.	USPAT	OR	OFF	2006/04/03 13:34
L85	9	(pda palm ((mobile cell\$4) near phone)) near10 (web webpage) near10 (display near format)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34

EAST Search History

L86	8	"6633314"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L87	63	server same ((client device) near2 capability) same ((connection session) near2 (data information parameter))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L88	4	((client device) near2 (storage near capability)) same ((connection session) near2 (data information parameter))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L89	8	L53 and ((client device) near2 (storage near capability))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L90	44	L53 and (((locally client device) near stor\$3) near3 ((session connection) near3 (data information parameters setting)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L91	12	L59 and (((locally client device) near stor\$3) near3 ((session connection) near3 (data information parameters setting)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L92	15	(client near3 stor\$4) near5 (session connection) near2 (history log)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L93	3	("20020012388" "5,313,582" "6,199,110").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L94	2	("6374375" "6611563").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L95	19	quick near5 connect\$4 near5 protocol	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L96	11	L64 and attributes	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L97	6	L66 same (connection near2 data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L98	2	("5790593" "5867822").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L99	2	("5790793" "5867822").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L100	1	"20020166047".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34

EAST Search History

L101	3	("5956519" "5093912" "5699361").pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L102	45	("5239647" "5333315" "5504873" "5544347" "5778395" "5193154" "5559957" "5764972" "5950205" "5276860" "5287500" "5321816" "5347653" "5495607" "5544345" "5638509" "5673381" "5974563" "4686620" "4995035" "5005122" "5133065" "5212772" "5226157" "5276867" "5241668" "5241670" "5410700" "5448724" "5491810" "5619644" "5729743" "5751997" "5758359" "5761677" "5812398" "5813009" "5813017" "5875478" "5887134" "5924102" "6021415" "6026414" "6052735" "6076148").PN.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L103	1	("5970255").PN.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L104	44	(L102 or L103) and @ad<"19980311"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L105	0	L104 and (pipeline same buffer)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L106	2	L104 and (pipeline)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L107	1	"6161134".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L108	1	"6311218".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L109	0	"09639713".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34
L110	0	"09639713".an.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/04/03 13:34